



Contents of *Aquaculture*, Volume 262

VOL. 262 NO. 1

14 February 2007

Diseases

- Isolation and characterization of a rhabdovirus from co-infection of two viruses in mandarin fish
J.-J. Tao, J.-F. Gui and Q.-Y. Zhang (Wuhan, China) 1
- Metazoan parasites on gills of Southern Bluefin Tuna (*Thunnus maccoyii*) do not rapidly proliferate after transfer to sea cages
C.J. Hayward, H.M. Aiken and B.F. Nowak (Launceston Tas, Australia) 10
- Epidemiological status of Taura syndrome and Infectious myonecrosis viruses in *Penaeus vannamei* reared in Pernambuco (Brazil)
A.C.A.S. Pinheiro, A.P.S. Lima, M.E. de Souza, E.C.L. Neto, M. Adrião (Pernambuco, Brazil), V.S.P. Gonçalves (Distrito Federal, Brazil) and M.R.M. Coimbra (Pernambuco, Brazil) 17
- Comparative hydrolysis and photolysis of four antibacterial agents (oxytetracycline oxolinic acid, flumequine and florfenicol) in deionised water, freshwater and seawater under abiotic conditions
H. Pouliquen, R. Delépée, M. Larhantec-Verdier, M.-L. Morvan and H. Le Bris (Nantes Cedex, France) 23

Genetics

- Denaturing Gradient Gel Electrophoresis (DGGE) as a tool for the characterisation of *Brachionus* sp. strains
S. Doms (Gent, Oostende, Belgium), S. Papakostas (Greece), S. Hoffman, D. Delbare (Oostende, Belgium), K. Dierckens (Gent, Belgium), A. Triantafyllidis (Greece), T. De Wolf (Livorno, Italy), O. Vadstein (Trondheim, Norway), T.J. Abatzopoulos (Greece)
P. Sorgeloos and P. Bossier (Gent, Belgium) 29
- Summer mortality of hatchery-produced Pacific oyster spat (*Crassostrea gigas*). I. Estimation of genetic parameters for survival and growth
L. Dégremont (La Tremblade, France), B. Emande (Port en Bessin, France), E. Bédier (La Trinité, France) and P. Boudry (La Tremblade, France) 41

Husbandry and Management

- The mariculture potential of the Indonesian reef-dwelling sponge *Callispongia (Euplaccella) hiru*: Growth, survival and bioactive compounds
N.J. de Voogd (Amsterdam, RA, Leiden, The Netherlands) 54
- Rearing of African catfish (*Clarias gariepinus*) and vundu catfish (*Heterobranchius longifilis*) in traditional fish ponds (whedos): Effect of stocking density on growth, production and body composition
I. Toko (Cotonou, Benin, Namur, Belgium), E.D. Fiogbe (Cotonou, Benin), B. Koukpodé (Porto-Novo, Benin) and P. Kestemont (Namur, Belgium) 65
- Inducing relaxation in the queen conch *Strombus gigas* (L.) for cultured pearl production
H. Acosta-Salmón and M. Davis (Fort Pierce, Florida, USA) 73
- The effects of stocking density on gonad growth, survival and feed intake of adult green sea urchin (*Strongylocentrotus droebachiensis*)
S.I. Siikavuopio, T. Dale and A. Mortensen (Tromsø, Norway) 78
- Effects of dietary factors, stocking biomass and domestication on the nutritional and technological quality of the Eurasian perch *Perca fluviatilis*
G. Mairesse, M. Thomas, J.-N. Gardeur and J. Brun-Bellut (Nancy, France) 86
- Reproductive behaviour and early development in yellowtail kingfish (*Seriola lalandi* Valenciennes 1833)
D. Moran (Raukaka, Auckland, New Zealand), C.K. Smith (Raukaka, New Zealand), B. Gara (Stanley, Falkland Islands) and C.W. Poortenaar (Hobart, Tasmania, Australia) 95
- Water quality affects SDH activity, protein content and RNA:DNA ratios in fish (*Catla catla*, *Labeo rohita* and *Oreochromis mossambicus*) raised in ponds of a sewage-fed fish farm
S. Mukherjee and B.B. Jana (West Bengal, India) 105
- Vegetative propagation of the carrageenophytic red alga *Gigartina skottsbergii* Setchell et Gardner: Indoor and field experiments
M.C. Hernández-González, A.H. Buschmann, M. Cifuentes (Puerto Montt, Chile), J.A. Correa (Santiago, Chile) and R. Westermeier (Puerto Montt, Chile) 120

Nutrition

- Effect of temperature and photoperiod on the growth, feed consumption, and biochemical content of juvenile green abalone, *Haliotis fulgens*, fed on a balanced diet
Z. Garcia-Esquivel, S. Montes-Magallón and M.A. González-Gómez (Ensenada, B.C., México) 129
- Effects of moderately oxidized dietary lipid and the role of vitamin E on the development of skeletal abnormalities in juvenile Atlantic halibut (*Hippoglossus hippoglossus*)
L.M. Lewis-McCrea and S.P. Lall (Halifax, NS, Canada) 142

Short Communications

- Growth, immune function, and disease and stress resistance of juvenile Nile tilapia (*Oreochromis niloticus*) fed graded levels of bovine lactoferrin
T.L. Welker, C. Lim, M. Yildirim-Aksoy and P.H. Klesius (Auburn, AL, United States) 156
- The relationship between feed intake and gonad growth of single and stocked green sea urchin (*Strongylocentrotus droebachiensis*) in a raceway culture
J.S. Christiansen and S.I. Siikavuopio (Tromsø, Norway) 163
- Effects of mass and position of artificial fouling added to the upper valve of the mangrove oyster *Crassostrea rhizophorae* on its growth and survival
C. Lodeiros, L. Galindo (Cumaná, Venezuela), E. Buitrago (Isla Margarita, Venezuela) and J.H. Himmelman (Quebec City, Canada) 168

VOL. 262 NOS. 2-4**28 February 2007****Diseases**

- Production of polyclonal and monoclonal antibodies against gill-associated virus and the development of an ELISA
J. Munro and L. Owens (Townsville, Queensland, Australia) 173
- Analysis of the composition of the bacterial community in puffer fish *Takifugu obscurus*
G. Yang, B. Bao (Shanghai, China), E. Peatman (Auburn, AL, USA), H. Li, L. Huang and D. Ren (Shanghai, China) 183
- A measure to prevent relapse of reddening adductor disease in pearl oysters (*Pinctada fucata martensii*) by low-water-temperature culture management in wintering fisheries
K. Nagai, J. Go (Mie, Japan), S. Segawa (Tokyo, Japan) and T. Honjo (Fukuoka, Japan) 192
- Scuticociliatosis-associated mortalities and histopathology of natural infection in cultured silver pomfret (*Pampus argenteus* Euphrasen) in Kuwait
I.S. Azad, A. Al-Marzouk, C.M. James, S. Almatar and H. Al-Gharabally (Salmiya, Kuwait) 202
- Quantification by fluorescent *in situ* hybridization of bacteria associated with *Litopenaeus vannamei* larvae in Mexican shrimp hatchery
A.T. Garcia and J.S. Olmos (Ensenada, México) 211

Husbandry and Management

- Biofouling of salmon cage netting and the efficacy of a typical copper-based antifoulant
R.A. Braithwaite, M.C.C. Carrasco and L.A. McEvoy (Shetland, UK) 219
- Enrichment of aquaculture earthen ponds with *Hediste diversicolor*: Consequences for benthic dynamics and natural productivity
S. Carvalho, M. Barata, M.B. Gaspar, P. Pousão-Ferreira (Olhão, Portugal) and L. Cancela da Fonseca (Gambelas, Cascais, Portugal) 227
- Nitrogen stable isotope composition as a tracer of fish farming in invertebrates *Aphysina aerophoba*, *Balanus perforatus* and *Anemonia sulcata* in central Adriatic
T. Dolenc, S. Lojen (Ljubljana, Slovenia), G. Kniewald (Zagreb, Croatia), M. Dolenc and N. Rogan (Ljubljana, Slovenia) 237
- Performance of common carp, *Cyprinus carpio* L. and Nile tilapia, *Oreochromis niloticus* (L.) in integrated rice-fish culture in Bangladesh
M. Frei (Stuttgart, Germany), M.A. Razzak, M.M. Hossain (Mymensingh, Bangladesh), M. Oehme (Stuttgart, Germany), S. Dewan (Mymensingh, Bangladesh) and K. Becker (Stuttgart, Germany) 250
- Behavioural responses in wild cod (*Gadus morhua* L.) exposed to fish holding water
B.-S. Sæther, P.-A. Bjørn and T. Dale (Tromsø, Norway) 260
- Sedimentation of organic matter from fish farms in oligotrophic Mediterranean assessed through bulk and stable isotope ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) analyses
M. Holmer (Odense, Denmark), N. Marba, E. Diaz-Almela, C.M. Duarte (Esporles, Spain), M. Tsapakis (Crete, Greece) and R. Danovaro (Ancona, Italy) 268
- Growth, survival and feed efficiency for post-metamorphosed Atlantic cod (*Gadus morhua*) reared at different temperatures
L.J. Kling, J. Muscato Hansen and A. Jordaán (Orono, Maine, United States) 281
- Successional development of fouling communities on open ocean aquaculture fish cages in the western Gulf of Maine, USA
J.K. Greene and R.E. Grizzle (Durham, NH, USA) 289
- Effects of rested-harvest using the anesthetic AQUI-S™ on channel catfish, *Ictalurus punctatus*, physiology and fillet quality
B.G. Bosworth, B.C. Small, D. Gregory (Stoneville, Mississippi, USA), J. Kim (Pine Bluff, Arkansas, USA), S. Black and A. Jerrett (Nelson, New Zealand) 302

Efficacy of acetic acid treatments in the management of marine biofouling B.M. Forrest, G.A. Hopkins, T.J. Dodgshun and J.P.A. Gardner (Nelson, Wellington, New Zealand)	319
Production performance of <i>Labeo calbasu</i> (Hamilton) in polyculture with three Indian major carps <i>Catla catla</i> (Hamilton), <i>Labeo rohita</i> (Hamilton) and <i>Cirrhinus mrigala</i> (Hamilton) with provision of fertilizers, feed and periphytic substrate as varied inputs P.K. Sahu, J.K. Jena, P.C. Das, S. Mondal and R. Das (Bhubaneswar, India)	333
Effects of salinity on Brazilian flounder <i>Paralichthys orbignyanus</i> from fertilization to juvenile settlement L.A. Sampaio, L.S. Freitas, M.H. Okamoto, L.R. Louzada, R.V. Rodrigues and R.B. Robaldo (Rio Grande, Brazil)	340
Production of Akoya pearls from the Southwest coast of India V. Kripa, K.S. Mohamed, K.K. Appukuttan and T.S. Velayudhan (Cochin, India)	347
Effects of organic effluents from a salmon farm on a fjord system. II. Temporal and spatial patterns in infauna community composition T. Kutti, P.K. Hansen, A. Ervik, T. Høisæter and P. Johannessen (Bergen, Norway)	355
Effects of organic effluents from a salmon farm on a fjord system. I. Vertical export and dispersal processes T. Kutti, A. Ervik and P.K. Hansen (Bergen, Norway)	367
Nutrition	
Effects of dietary palm oil source on growth, tissue fatty acid composition and nutrient digestibility of red hybrid tilapia, <i>Oreochromis</i> sp., raised from stocking to marketable size O.M. Bahurmiz (Penang, Malaysia; Mukalla, Yemen) and W.-K. Ng (Penang, Malaysia)	382
Replacement of fish meal in practical diets for the Pacific white shrimp (<i>Litopenaeus vannamei</i>) reared under pond conditions E.A. Amaya, D.A. Davis and D.B. Rouse (Auburn, AL, USA)	393
Comparison of the bioavailability of lysine in blood meals of various origins to that of L-lysine HCL for rainbow trout (<i>Oncorhynchus mykiss</i>) E.R. El-Haroun (Giza, Egypt) and D.P. Bureau (Guelph, ON, Canada)	402
Effect of <i>Rhodomonas salina</i> addition to a standard hatchery diet during the early ontogeny of the scallop <i>Pecten maximus</i> R. Tremblay, S. Cartier (Rimouski, QC, Canada), P. Miner (Plouzané, France), F. Pernet (Shippagan, NB, Canada), C. Quéré, J. Moal (Plouzané, France), M.-L. Muzellec (Plougastel-Daoulas, France), M. Mazuret and J.-F. Samain (Plouzané, France)	410
Alternative diets for the Pacific white shrimp <i>Litopenaeus vannamei</i> E. Amaya, D.A. Davis and D.B. Rouse (Auburn, AL, USA)	419
<i>In vitro</i> digestibility of water-soluble and water-insoluble protein fractions of some common fish larval feeds and feed ingredients S.K. Tonheim, A. Nordgreen, I. Høy, K. Hamre and I. Rønnestad (Bergen, Norway)	426
Inclusion of citric acid and/or amino acid-chelated trace elements in alternate plant protein source diets affects growth and excretion of nitrogen and phosphorus in red sea bream <i>Pagrus major</i> Md.S.A. Sarker, S. Satoh and V. Kiron (Tokyo, Japan)	436
Effects of vitamin A on growth, serum anti-bacterial activity and transaminase activities in the juvenile Japanese flounder, <i>Paralichthys olivaceus</i> L.H.H. Hernandez (Edo. de Mexico, Mexico), S.-i. Teshima, S. Koshio, M. Ishikawa, Y. Tanaka (Kagoshima, Japan) and Md.S. Alam (Wilmington, NC, USA)	444
Physiology and Endocrinology	
Seasonal changes in channel catfish thyroid hormones reflect increased magnitude of daily thyroid hormone cycles T.C. Loter, D.S. MacKenzie (College Station, TX, USA), J. McLeese and J.G. Eales (Winnipeg, Man, Canada)	451
Effects of varying levels of aqueous potassium and magnesium on survival, growth, and respiration of the Pacific white shrimp, <i>Litopenaeus vannamei</i> , reared in low salinity waters L.A. Roy, D.A. Davis (Auburn, Alabama, USA), I.P. Saoud (Beirut, Lebanon) and R.P. Henry (Auburn, Alabama, USA)	461
Alterations in lipid metabolism and use of energy depots of gilthead sea bream (<i>Sparus aurata</i>) at low temperatures A. Ibarz, M. Beltrán, J. Fernández-Borrás, M.A. Gallardo, J. Sánchez and J. Blasco (Barcelona, Spain)	470
The effects of food and the sum of effective temperature on the embryonic development of the seahorse, <i>Hippocampus kuda</i> Bleeker Q. Lin, Y. Gao, J. Sheng, Q. Chen, B. Zhang and J. Lu (Guangzhou, People's Republic of China)	481
Temperature tolerance of young sporophytes from two populations of <i>Laminaria japonica</i> revealed by chlorophyll fluorescence measurements and short-term growth and survival performances in tank culture S.J. Pang (Qingdao, PR China), Z.H. Jin (Ningde, PR China), J.Z. Sun (Zhejiang, PR China) and S.Q. Gao (Qingdao, PR China)	493
Cloning and expression of metallothionein cDNA in the hard clam (<i>Meretrix lusoria</i>) upon cadmium exposure Y.T. Chang, K.J. Jong (Chiayi, Taiwan), B.K. Liao (Taipei, Taiwan) and S.M. Wu (Chiayi, Taiwan)	504
Short Communications	
Biomass management in recirculating aquaculture systems using queuing networks I. Halachmi (Bet Dagan, Israel)	514
Evaluation of methods for assessing the retention of seed mussels (<i>Perna canaliculus</i>) prior to seeding for grow-out A.G. Carton (Warkworth, New Zealand), A.G. Jeffs (Warkworth, Auckland, New Zealand), G. Foote (Warkworth, New Zealand), H. Palmer and J. Bilton (Nelson, New Zealand)	521

Effects of storage duration and storage media on initial and post-eyeing mortality of stored ova of rainbow trout <i>Oncorhynchus mykiss</i> H. Niksirat, K. Sarvi, B. Mojazi Amiri and A. Hatef (Karaj, Iran)	528
Improvement in a simple method for isolating white spot syndrome virus (WSSV) from the crayfish <i>Procambarus clarkii</i> H. Du, L. Fu (Hangzhou, PR China), Y. Xu (Suzhou, PR China), Z. Kil and Z. Xu (Hangzhou, PR China)	532
Studies on chorion hardening inhibition and dechorionization in turbot embryos V. Robles, E. Cabrita (Faro, Portugal), P. de Paz and M.P. Herráez (León, Spain)	535
Contents of <i>Aquaculture</i>, Volume 262	541

